



SITE - Ø 200 MM / 203 MM

Cererile pentru analiza dimensiunilor particulelor sunt în continuă creștere. Acest lucru se reflectă și în cerințele mai extinse prevăzute în noul standard ISO 3310. Pentru a adapta sitele noastre de testare la aceste cerințe, RETSCH a dezvoltat un proces unic de fabricare ce garantează o calitate neatinsă anterior și o continuitate în producția de site (200 x 50 mm, 200 x 25 mm, 203 x 50 mm (8"x 2"), 203 x 25 mm (8"x 1")). În plus, un sistem logistic de producție face posibilă înregistrarea fiecăruia și tuturor materialelor utilizate în proces.

AVANTAJE PRODUS

- | ramă din oțel inoxidabil cu stabilitate ridicată a formei
- | grad ridicat de rezistență la coroziune și curățare ușoară datorită oțelului inoxidabil înalt aliat
- | sită cu dimensiuni de la 20 μm la 125 mm
- | țesatura sitei întinsă
- | excellent product quality due to extensive optical inspection
- | stabilitate maximă și etanșare optimă atunci când se folosește în coloane de site, datorită inelului-o plasat în nișa concepută în acest scop
- | etichetare clară și precisă a sitelor cu trasabilitate completă pe baza gravării individualizate cu laser

EXEMPLE DE APLICAȚII

RETSCH's woven wire mesh sieves are ideally suited for separation, fractioning and particle size determination of cement clinker, chemicals, coffee, construction materials, fertilizers, fillers, flours, grains, metals powders, minerals, nuts, plastics, sand, seeds, soils and washing powder.

SITE - Ø 200 MM / 203 MM

DATE TEHNICE

Aplicabilitate	separare, fracționare, determinarea dimensiunii particulei
Domenii in care se utilizeaza	agricultură, alimente, biologie, chimie/plastic, geologie/ metalurgie, inginerie/electronică, materiale de construcții, medicină/produse farmaceutice , mediu/reciclare, sticlă/ ceramică
Material probă	pulberi, materiale vrac, suspensii
Frame diameter	ø 200 mm / 203 mm (8 inch)
Tipul suprafeței	wire gauze
Dimensiuni ochiuri	125 mm - 20 µm
Standard	ISO 3310-1 / ASTM E11

www.retsch.com/sieve

INFORMAȚII DESPRE COMANDĂ

ACCESSORIES FOR TEST SIEVES (PANS, RINGS, LIDS)

FOR TEST SIEVES 200 MM Ø, HEIGHT 50 MM

69.720.0050		Collecting pan	oțel inoxidabil	200 mm Ø	height 50 mm
69.220.0050		Intermediate pan	oțel inoxidabil	200 mm Ø	height 50 mm
69.121.0050		Intermediate ring	oțel inoxidabil	200 mm Ø	height 50 mm
69.520.0051		Sieve lid	oțel inoxidabil	200 mm Ø	
69.420.0050		Collecting pan with outlet	oțel inoxidabil	200 mm Ø	height 50 mm
69.221.0025		Venting ring for wet sieving	oțel inoxidabil	200 mm Ø	height 25 mm
05.114.0174		O-ring for test sieves		200 mm Ø	

FOR TEST SIEVES 200 MM Ø, HEIGHT 25 MM

69.720.0025		Collecting pan, oțel inoxidabil, 200 mm Ø, height 25 mm			
69.220.0025		Intermediate pan, oțel inoxidabil, 200 mm Ø, height 25 mm			
69.121.0025		Intermediate ring, oțel inoxidabil, 200 mm Ø, height 25 mm			
69.520.0051		Sieve lid, oțel inoxidabil, 200 mm Ø,			
69.420.0050		Collecting pan with outlet, oțel inoxidabil, 200 mm Ø, height 50 mm			
69.221.0025		Venting ring for wet sieving, oțel inoxidabil, 200 mm Ø, height 25 mm			

05.114.0174 O-ring for test sieves, , 200 mm Ø,

FOR TEST SIEVES 203 MM Ø / 8" Ø, HEIGHT 2"

69.720.3050		Collecting pan, oțel inoxidabil, 8" Ø, height 2"
69.220.3050		Intermediate pan, oțel inoxidabil, 8" Ø, height 2"
69.121.3050		Intermediate ring, oțel inoxidabil, 8" Ø, height 2"
69.520.3051		Sieve lid, oțel inoxidabil, 8" Ø,
69.420.3050		Collecting pan with outlet, oțel inoxidabil, 8" Ø, height 2"
69.221.3025		Venting ring for wet sieving, oțel inoxidabil, 8" Ø, height 1"
05.114.0174		O-ring for test sieves, , 8" Ø,

FOR TEST SIEVES 203 MM Ø / 8" Ø, HEIGHT 1"

69.720.3025		Collecting pan, oțel inoxidabil, 8" Ø, height 1"
69.220.3025		Intermediate pan, oțel inoxidabil, 8" Ø, height 1"
69.121.3025		Intermediate ring, oțel inoxidabil, 8" Ø, height 1"
69.520.3051		Sieve lid, oțel inoxidabil, 8" Ø,
69.420.3050		Collecting pan with outlet, oțel inoxidabil, 8" Ø, height 2"
69.221.3025		Venting ring for wet sieving, oțel inoxidabil, 8" Ø, height 1"
05.114.0174		O-ring for test sieves, , 8" Ø,

TEST SIEVE RACK

32.012.0001



Test Sieve Rack for 10 Test Sieves Ø 200 mm/8", height 50 mm/25 mm

TEST SIEVES

TEST SIEVES Ø 200 MM - 50 MM HEIGHT - ISO 3310/1 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	ø	height	standard
60.131.000020	20 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000025	25 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000032	32 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000036	36 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000038	38 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000040	40 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000045	45 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000050	50 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000053	53 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000056	56 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000063	63 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000071	71 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000075	75 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000080	80 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000090	90 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000100	100 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000106	106 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000112	112 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000125	125 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000140	140 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000150	150 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000160	160 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000180	180 µm	-	200 mm	50 mm	ISO 3310/1

60.131.000200	200 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000212	212 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000224	224 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000250	250 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000280	280 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000300	300 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000315	315 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000355	355 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000400	400 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000425	425 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000450	450 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000500	500 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000560	560 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000600	600 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000630	630 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000710	710 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000800	800 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000850	850 µm	-	200 mm	50 mm	ISO 3310/1
60.131.000900	900 µm	-	200 mm	50 mm	ISO 3310/1
60.131.001000	1.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.001120	1.12 mm	-	200 mm	50 mm	ISO 3310/1
60.131.001180	1.18 mm	-	200 mm	50 mm	ISO 3310/1
60.131.001250	1.25 mm	-	200 mm	50 mm	ISO 3310/1
60.131.001400	1.40 mm	-	200 mm	50 mm	ISO 3310/1
60.131.001600	1.60 mm	-	200 mm	50 mm	ISO 3310/1
60.131.001700	1.70 mm	-	200 mm	50 mm	ISO 3310/1
60.131.001800	1.80 mm	-	200 mm	50 mm	ISO 3310/1
60.131.002000	2.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.002240	2.24 mm	-	200 mm	50 mm	ISO 3310/1
60.131.002360	2.36 mm	-	200 mm	50 mm	ISO 3310/1
60.131.002500	2.50 mm	-	200 mm	50 mm	ISO 3310/1

60.131.002800	2.80 mm	-	200 mm	50 mm	ISO 3310/1
60.131.003150	3.15 mm	-	200 mm	50 mm	ISO 3310/1
60.131.003350	3.35 mm	-	200 mm	50 mm	ISO 3310/1
60.131.003550	3.55 mm	-	200 mm	50 mm	ISO 3310/1
60.131.004000	4.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.004500	4.50 mm	-	200 mm	50 mm	ISO 3310/1
60.131.004750	4.75 mm	-	200 mm	50 mm	ISO 3310/1
60.131.005000	5.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.005600	5.60 mm	-	200 mm	50 mm	ISO 3310/1
60.131.006300	6.30 mm	-	200 mm	50 mm	ISO 3310/1
60.131.006700	6.70 mm	-	200 mm	50 mm	ISO 3310/1
60.131.007100	7.10 mm	-	200 mm	50 mm	ISO 3310/1
60.131.008000	8.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.009000	9.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.009500	9.50 mm	-	200 mm	50 mm	ISO 3310/1
60.131.010000	10.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.011200	11.20 mm	-	200 mm	50 mm	ISO 3310/1
60.131.012500	12.50 mm	-	200 mm	50 mm	ISO 3310/1
60.131.013200	13.20 mm	-	200 mm	50 mm	ISO 3310/1
60.131.014000	14.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.016000	16.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.018000	18.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.019000	19.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.020000	20.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.022400	22.40 mm	-	200 mm	50 mm	ISO 3310/1
60.131.025000	25.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.026500	26.50 mm	-	200 mm	50 mm	ISO 3310/1
60.131.028000	28.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.031500	31.50 mm	-	200 mm	50 mm	ISO 3310/1
60.131.035500	35.50 mm	-	200 mm	50 mm	ISO 3310/1
60.131.037500	37.50 mm	-	200 mm	50 mm	ISO 3310/1

60.131.040000	40.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.045000	45.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.050000	50.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.053000	53.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.056000	56.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.063000	63.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.071000	71.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.075000	75.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.080000	80.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.090000	90.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.100000	100.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.106000	106.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.112000	112.00 mm	-	200 mm	50 mm	ISO 3310/1
60.131.125000	125.00 mm	-	200 mm	50 mm	ISO 3310/1

TEST SIEVES Ø 200 MM - 25 MM HEIGHT - ISO 3310/1 - STAINLESS STEEL /WIRE GAUZE

	# mm	# mesh no.	Ø	height	standard
60.122.000020	20 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000025	25 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000032	32 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000036	36 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000038	38 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000040	40 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000045	45 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000050	50 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000053	53 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000056	56 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000063	63 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000071	71 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000075	75 µm	-	200 mm	25 mm	ISO 3310/1

60.122.000080	80 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000090	90 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000100	100 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000106	106 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000112	112 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000125	125 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000140	140 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000150	150 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000160	160 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000180	180 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000200	200 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000212	212 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000224	224 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000250	250 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000280	280 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000300	300 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000315	315 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000355	355 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000400	400 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000425	425 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000450	450 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000500	500 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000560	560 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000600	600 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000630	630 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000710	710 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000800	800 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000850	850 µm	-	200 mm	25 mm	ISO 3310/1
60.122.000900	900 µm	-	200 mm	25 mm	ISO 3310/1
60.122.001000	1.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.001120	1.12 mm	-	200 mm	25 mm	ISO 3310/1

60.122.001180	1.18 mm	-	200 mm	25 mm	ISO 3310/1
60.122.001250	1.25 mm	-	200 mm	25 mm	ISO 3310/1
60.122.001400	1.40 mm	-	200 mm	25 mm	ISO 3310/1
60.122.001600	1.60 mm	-	200 mm	25 mm	ISO 3310/1
60.122.001700	1.70 mm	-	200 mm	25 mm	ISO 3310/1
60.122.001800	1.80 mm	-	200 mm	25 mm	ISO 3310/1
60.122.002000	2.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.002240	2.24 mm	-	200 mm	25 mm	ISO 3310/1
60.122.002360	2.36 mm	-	200 mm	25 mm	ISO 3310/1
60.122.002500	2.50 mm	-	200 mm	25 mm	ISO 3310/1
60.122.002800	2.80 mm	-	200 mm	25 mm	ISO 3310/1
60.122.003150	3.15 mm	-	200 mm	25 mm	ISO 3310/1
60.122.003350	3.35 mm	-	200 mm	25 mm	ISO 3310/1
60.122.003550	3.55 mm	-	200 mm	25 mm	ISO 3310/1
60.122.004000	4.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.004500	4.50 mm	-	200 mm	25 mm	ISO 3310/1
60.122.004750	4.75 mm	-	200 mm	25 mm	ISO 3310/1
60.122.005000	5.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.005600	5.60 mm	-	200 mm	25 mm	ISO 3310/1
60.122.006300	6.30 mm	-	200 mm	25 mm	ISO 3310/1
60.122.006700	6.70 mm	-	200 mm	25 mm	ISO 3310/1
60.122.007100	7.10 mm	-	200 mm	25 mm	ISO 3310/1
60.122.008000	8.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.009000	9.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.009500	9.50 mm	-	200 mm	25 mm	ISO 3310/1
60.122.010000	10.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.011200	11.20 mm	-	200 mm	25 mm	ISO 3310/1
60.122.012500	12.50 mm	-	200 mm	25 mm	ISO 3310/1
60.122.013200	13.20 mm	-	200 mm	25 mm	ISO 3310/1
60.122.014000	14.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.016000	16.00 mm	-	200 mm	25 mm	ISO 3310/1

60.122.018000	18.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.019000	19.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.020000	20.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.022400	22.40 mm	-	200 mm	25 mm	ISO 3310/1
60.122.025000	25.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.026500	26.50 mm	-	200 mm	25 mm	ISO 3310/1
60.122.028000	28.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.031500	31.50 mm	-	200 mm	25 mm	ISO 3310/1
60.122.035500	35.50 mm	-	200 mm	25 mm	ISO 3310/1
60.122.037500	37.50 mm	-	200 mm	25 mm	ISO 3310/1
60.122.040000	40.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.045000	45.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.050000	50.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.053000	53.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.056000	56.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.063000	63.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.071000	71.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.075000	75.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.080000	80.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.090000	90.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.100000	100.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.106000	106.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.112000	112.00 mm	-	200 mm	25 mm	ISO 3310/1
60.122.125000	125.00 mm	-	200 mm	25 mm	ISO 3310/1

TEST SIEVES Ø 8" - 2" HEIGHT - ISO 3310/1 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	Ø	height	standard
60.149.000020	20 µm	-	8"	2"	ISO 3310/1
60.149.000025	25 µm	-	8"	2"	ISO 3310/1
60.149.000032	32 µm	-	8"	2"	ISO 3310/1

60.149.000036	36 µm	-	8"	2"	ISO 3310/1
60.149.000038	38 µm	-	8"	2"	ISO 3310/1
60.149.000040	40 µm	-	8"	2"	ISO 3310/1
60.149.000045	45 µm	-	8"	2"	ISO 3310/1
60.149.000050	50 µm	-	8"	2"	ISO 3310/1
60.149.000053	53 µm	-	8"	2"	ISO 3310/1
60.149.000056	56 µm	-	8"	2"	ISO 3310/1
60.149.000063	63 µm	-	8"	2"	ISO 3310/1
60.149.000071	71 µm	-	8"	2"	ISO 3310/1
60.149.000075	75 µm	-	8"	2"	ISO 3310/1
60.149.000080	80 µm	-	8"	2"	ISO 3310/1
60.149.000090	90 µm	-	8"	2"	ISO 3310/1
60.149.000100	100 µm	-	8"	2"	ISO 3310/1
60.149.000106	106 µm	-	8"	2"	ISO 3310/1
60.149.000112	112 µm	-	8"	2"	ISO 3310/1
60.149.000125	125 µm	-	8"	2"	ISO 3310/1
60.149.000140	140 µm	-	8"	2"	ISO 3310/1
60.149.000150	150 µm	-	8"	2"	ISO 3310/1
60.149.000160	160 µm	-	8"	2"	ISO 3310/1
60.149.000180	180 µm	-	8"	2"	ISO 3310/1
60.149.000200	200 µm	-	8"	2"	ISO 3310/1
60.149.000212	212 µm	-	8"	2"	ISO 3310/1
60.149.000224	224 µm	-	8"	2"	ISO 3310/1
60.149.000250	250 µm	-	8"	2"	ISO 3310/1
60.149.000280	280 µm	-	8"	2"	ISO 3310/1
60.149.000300	300 µm	-	8"	2"	ISO 3310/1
60.149.000315	315 µm	-	8"	2"	ISO 3310/1
60.149.000355	355 µm	-	8"	2"	ISO 3310/1
60.149.000400	400 µm	-	8"	2"	ISO 3310/1
60.149.000425	425 µm	-	8"	2"	ISO 3310/1
60.149.000450	450 µm	-	8"	2"	ISO 3310/1

60.149.000500	500 µm	-	8"	2"	ISO 3310/1
60.149.000560	560 µm	-	8"	2"	ISO 3310/1
60.149.000600	600 µm	-	8"	2"	ISO 3310/1
60.149.000630	630 µm	-	8"	2"	ISO 3310/1
60.149.000710	710 µm	-	8"	2"	ISO 3310/1
60.149.000800	800 µm	-	8"	2"	ISO 3310/1
60.149.000850	850 µm	-	8"	2"	ISO 3310/1
60.149.000900	900 µm	-	8"	2"	ISO 3310/1
60.149.001000	1.00 mm	-	8"	2"	ISO 3310/1
60.149.001120	1.12 mm	-	8"	2"	ISO 3310/1
60.149.001180	1.18 mm	-	8"	2"	ISO 3310/1
60.149.001250	1.25 mm	-	8"	2"	ISO 3310/1
60.149.001400	1.40 mm	-	8"	2"	ISO 3310/1
60.149.001600	1.60 mm	-	8"	2"	ISO 3310/1
60.149.001700	1.70 mm	-	8"	2"	ISO 3310/1
60.149.001800	1.80 mm	-	8"	2"	ISO 3310/1
60.149.002000	2.00 mm	-	8"	2"	ISO 3310/1
60.149.002240	2.24 mm	-	8"	2"	ISO 3310/1
60.149.002360	2.36 mm	-	8"	2"	ISO 3310/1
60.149.002500	2.50 mm	-	8"	2"	ISO 3310/1
60.149.002800	2.80 mm	-	8"	2"	ISO 3310/1
60.149.003150	3.15 mm	-	8"	2"	ISO 3310/1
60.149.003350	3.35 mm	-	8"	2"	ISO 3310/1
60.149.003550	3.55 mm	-	8"	2"	ISO 3310/1
60.149.004000	4.00 mm	-	8"	2"	ISO 3310/1
60.149.004500	4.50 mm	-	8"	2"	ISO 3310/1
60.149.004750	4.75 mm	-	8"	2"	ISO 3310/1
60.149.005000	5.00 mm	-	8"	2"	ISO 3310/1
60.149.005600	5.60 mm	-	8"	2"	ISO 3310/1
60.149.006300	6.30 mm	-	8"	2"	ISO 3310/1
60.149.006700	6.70 mm	-	8"	2"	ISO 3310/1

60.149.007100	7.10 mm	-	8"	2"	ISO 3310/1
60.149.008000	8.00 mm	-	8"	2"	ISO 3310/1
60.149.009000	9.00 mm	-	8"	2"	ISO 3310/1
60.149.009500	9.50 mm	-	8"	2"	ISO 3310/1
60.149.010000	10.00 mm	-	8"	2"	ISO 3310/1
60.149.011200	11.20 mm	-	8"	2"	ISO 3310/1
60.149.012500	12.50 mm	-	8"	2"	ISO 3310/1
60.149.013200	13.20 mm	-	8"	2"	ISO 3310/1
60.149.014000	14.00 mm	-	8"	2"	ISO 3310/1
60.149.016000	16.00 mm	-	8"	2"	ISO 3310/1
60.149.018000	18.00 mm	-	8"	2"	ISO 3310/1
60.149.019000	19.00 mm	-	8"	2"	ISO 3310/1
60.149.020000	20.00 mm	-	8"	2"	ISO 3310/1
60.149.022400	22.40 mm	-	8"	2"	ISO 3310/1
60.149.025000	25.00 mm	-	8"	2"	ISO 3310/1
60.149.026500	26.50 mm	-	8"	2"	ISO 3310/1
60.149.028000	28.00 mm	-	8"	2"	ISO 3310/1
60.149.031500	31.50 mm	-	8"	2"	ISO 3310/1
60.149.035500	35.50 mm	-	8"	2"	ISO 3310/1
60.149.037500	37.50 mm	-	8"	2"	ISO 3310/1
60.149.040000	40.00 mm	-	8"	2"	ISO 3310/1
60.149.045000	45.00 mm	-	8"	2"	ISO 3310/1
60.149.050000	50.00 mm	-	8"	2"	ISO 3310/1
60.149.053000	53.00 mm	-	8"	2"	ISO 3310/1
60.149.056000	56.00 mm	-	8"	2"	ISO 3310/1
60.149.063000	63.00 mm	-	8"	2"	ISO 3310/1
60.149.071000	71.00 mm	-	8"	2"	ISO 3310/1
60.149.075000	75.00 mm	-	8"	2"	ISO 3310/1
60.149.080000	80.00 mm	-	8"	2"	ISO 3310/1
60.149.090000	90.00 mm	-	8"	2"	ISO 3310/1
60.149.100000	100.00 mm	-	8"	2"	ISO 3310/1

60.149.106000	106.00 mm	-	8"	2"	ISO 3310/1
60.149.112000	112.00 mm	-	8"	2"	ISO 3310/1
60.149.125000	125.00 mm	-	8"	2"	ISO 3310/1

TEST SIEVES Ø 8" - 1" HEIGHT - ISO 3310/1 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	Ø	height	standard
60.140.000020	20 µm	-	8"	1"	ISO 3310/1
60.140.000025	25 µm	-	8"	1"	ISO 3310/1
60.140.000032	32 µm	-	8"	1"	ISO 3310/1
60.140.000036	36 µm	-	8"	1"	ISO 3310/1
60.140.000038	38 µm	-	8"	1"	ISO 3310/1
60.140.000040	40 µm	-	8"	1"	ISO 3310/1
60.140.000045	45 µm	-	8"	1"	ISO 3310/1
60.140.000050	50 µm	-	8"	1"	ISO 3310/1
60.140.000053	53 µm	-	8"	1"	ISO 3310/1
60.140.000056	56 µm	-	8"	1"	ISO 3310/1
60.140.000063	63 µm	-	8"	1"	ISO 3310/1
60.140.000071	71 µm	-	8"	1"	ISO 3310/1
60.140.000075	75 µm	-	8"	1"	ISO 3310/1
60.140.000080	80 µm	-	8"	1"	ISO 3310/1
60.140.000090	90 µm	-	8"	1"	ISO 3310/1
60.140.000100	100 µm	-	8"	1"	ISO 3310/1
60.140.000106	106 µm	-	8"	1"	ISO 3310/1
60.140.000112	112 µm	-	8"	1"	ISO 3310/1
60.140.000125	125 µm	-	8"	1"	ISO 3310/1
60.140.000140	140 µm	-	8"	1"	ISO 3310/1
60.140.000150	150 µm	-	8"	1"	ISO 3310/1
60.140.000160	160 µm	-	8"	1"	ISO 3310/1
60.140.000180	180 µm	-	8"	1"	ISO 3310/1
60.140.000200	200 µm	-	8"	1"	ISO 3310/1

60.140.000212	212 µm	-	8"	1"	ISO 3310/1
60.140.000224	224 µm	-	8"	1"	ISO 3310/1
60.140.000250	250 µm	-	8"	1"	ISO 3310/1
60.140.000280	280 µm	-	8"	1"	ISO 3310/1
60.140.000300	300 µm	-	8"	1"	ISO 3310/1
60.140.000315	315 µm	-	8"	1"	ISO 3310/1
60.140.000355	355 µm	-	8"	1"	ISO 3310/1
60.140.000400	400 µm	-	8"	1"	ISO 3310/1
60.140.000425	425 µm	-	8"	1"	ISO 3310/1
60.140.000450	450 µm	-	8"	1"	ISO 3310/1
60.140.000500	500 µm	-	8"	1"	ISO 3310/1
60.140.000560	560 µm	-	8"	1"	ISO 3310/1
60.140.000600	600 µm	-	8"	1"	ISO 3310/1
60.140.000630	630 µm	-	8"	1"	ISO 3310/1
60.140.000710	710 µm	-	8"	1"	ISO 3310/1
60.140.000800	800 µm	-	8"	1"	ISO 3310/1
60.140.000850	850 µm	-	8"	1"	ISO 3310/1
60.140.000900	900 µm	-	8"	1"	ISO 3310/1
60.140.001000	1.00 mm	-	8"	1"	ISO 3310/1
60.140.001120	1.12 mm	-	8"	1"	ISO 3310/1
60.140.001180	1.18 mm	-	8"	1"	ISO 3310/1
60.140.001250	1.25 mm	-	8"	1"	ISO 3310/1
60.140.001400	1.40 mm	-	8"	1"	ISO 3310/1
60.140.001600	1.60 mm	-	8"	1"	ISO 3310/1
60.140.001700	1.70 mm	-	8"	1"	ISO 3310/1
60.140.001800	1.80 mm	-	8"	1"	ISO 3310/1
60.140.002000	2.00 mm	-	8"	1"	ISO 3310/1
60.140.002240	2.24 mm	-	8"	1"	ISO 3310/1
60.140.002360	2.36 mm	-	8"	1"	ISO 3310/1
60.140.002500	2.50 mm	-	8"	1"	ISO 3310/1
60.140.002800	2.80 mm	-	8"	1"	ISO 3310/1

60.140.003150	3.15 mm	-	8"	1"	ISO 3310/1
60.140.003350	3.35 mm	-	8"	1"	ISO 3310/1
60.140.003550	3.55 mm	-	8"	1"	ISO 3310/1
60.140.004000	4.00 mm	-	8"	1"	ISO 3310/1
60.140.004500	4.50 mm	-	8"	1"	ISO 3310/1
60.140.004750	4.75 mm	-	8"	1"	ISO 3310/1
60.140.005000	5.00 mm	-	8"	1"	ISO 3310/1
60.140.005600	5.60 mm	-	8"	1"	ISO 3310/1
60.140.006300	6.30 mm	-	8"	1"	ISO 3310/1
60.140.006700	6.70 mm	-	8"	1"	ISO 3310/1
60.140.007100	7.10 mm	-	8"	1"	ISO 3310/1
60.140.008000	8.00 mm	-	8"	1"	ISO 3310/1
60.140.009000	9.00 mm	-	8"	1"	ISO 3310/1
60.140.009500	9.50 mm	-	8"	1"	ISO 3310/1
60.140.010000	10.00 mm	-	8"	1"	ISO 3310/1
60.140.011200	11.20 mm	-	8"	1"	ISO 3310/1
60.140.012500	12.50 mm	-	8"	1"	ISO 3310/1
60.140.013200	13.20 mm	-	8"	1"	ISO 3310/1
60.140.014000	14.00 mm	-	8"	1"	ISO 3310/1
60.140.016000	16.00 mm	-	8"	1"	ISO 3310/1
60.140.018000	18.00 mm	-	8"	1"	ISO 3310/1
60.140.019000	19.00 mm	-	8"	1"	ISO 3310/1
60.140.020000	20.00 mm	-	8"	1"	ISO 3310/1
60.140.022400	22.40 mm	-	8"	1"	ISO 3310/1
60.140.025000	25.00 mm	-	8"	1"	ISO 3310/1
60.140.026500	26.50 mm	-	8"	1"	ISO 3310/1
60.140.028000	28.00 mm	-	8"	1"	ISO 3310/1
60.140.031500	31.50 mm	-	8"	1"	ISO 3310/1
60.140.035500	35.50 mm	-	8"	1"	ISO 3310/1
60.140.037500	37.50 mm	-	8"	1"	ISO 3310/1
60.140.040000	40.00 mm	-	8"	1"	ISO 3310/1

60.140.045000	45.00 mm	-	8"	1"	ISO 3310/1
60.140.050000	50.00 mm	-	8"	1"	ISO 3310/1
60.140.053000	53.00 mm	-	8"	1"	ISO 3310/1
60.140.056000	56.00 mm	-	8"	1"	ISO 3310/1
60.140.063000	63.00 mm	-	8"	1"	ISO 3310/1
60.140.071000	71.00 mm	-	8"	1"	ISO 3310/1
60.140.075000	75.00 mm	-	8"	1"	ISO 3310/1
60.140.080000	80.00 mm	-	8"	1"	ISO 3310/1
60.140.090000	90.00 mm	-	8"	1"	ISO 3310/1
60.140.100000	100.00 mm	-	8"	1"	ISO 3310/1
60.140.106000	106.00 mm	-	8"	1"	ISO 3310/1
60.140.112000	112.00 mm	-	8"	1"	ISO 3310/1
60.140.125000	125.00 mm	-	8"	1"	ISO 3310/1

TEST SIEVES Ø 200 MM - 50 MM HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	Ø	height	standard
60.132.000020	20 µm	635 Mesh	200 mm	50 mm	ASTM E11
60.132.000025	25 µm	500 Mesh	200 mm	50 mm	ASTM E11
60.132.000032	32 µm	450 Mesh	200 mm	50 mm	ASTM E11
60.132.000038	38 µm	400 Mesh	200 mm	50 mm	ASTM E11
60.132.000045	45 µm	325 Mesh	200 mm	50 mm	ASTM E11
60.132.000053	53 µm	270 Mesh	200 mm	50 mm	ASTM E11
60.132.000063	63 µm	230 Mesh	200 mm	50 mm	ASTM E11
60.132.000075	75 µm	200 Mesh	200 mm	50 mm	ASTM E11
60.132.000090	90 µm	170 Mesh	200 mm	50 mm	ASTM E11
60.132.000106	106 µm	140 Mesh	200 mm	50 mm	ASTM E11
60.132.000125	125 µm	120 Mesh	200 mm	50 mm	ASTM E11
60.132.000150	150 µm	100 Mesh	200 mm	50 mm	ASTM E11
60.132.000180	180 µm	80 Mesh	200 mm	50 mm	ASTM E11
60.132.000212	212 µm	70 Mesh	200 mm	50 mm	ASTM E11

60.132.000250	250 µm	60 Mesh	200 mm	50 mm	ASTM E11
60.132.000300	300 µm	50 Mesh	200 mm	50 mm	ASTM E11
60.132.000355	355 µm	45 Mesh	200 mm	50 mm	ASTM E11
60.132.000425	425 µm	40 Mesh	200 mm	50 mm	ASTM E11
60.132.000500	500 µm	35 Mesh	200 mm	50 mm	ASTM E11
60.132.000600	600 µm	30 Mesh	200 mm	50 mm	ASTM E11
60.132.000710	710 µm	25 Mesh	200 mm	50 mm	ASTM E11
60.132.000850	850 µm	20 Mesh	200 mm	50 mm	ASTM E11
60.132.001000	1.00 mm	18 Mesh	200 mm	50 mm	ASTM E11
60.132.001180	1.18 mm	16 Mesh	200 mm	50 mm	ASTM E11
60.132.001400	1.40 mm	14 Mesh	200 mm	50 mm	ASTM E11
60.132.001700	1.70 mm	12 Mesh	200 mm	50 mm	ASTM E11
60.132.002000	2.00 mm	10 Mesh	200 mm	50 mm	ASTM E11
60.132.002360	2.36 mm	8 Mesh	200 mm	50 mm	ASTM E11
60.132.002800	2.80 mm	7 Mesh	200 mm	50 mm	ASTM E11
60.132.003350	3.35 mm	6 Mesh	200 mm	50 mm	ASTM E11
60.132.004000	4.00 mm	5 Mesh	200 mm	50 mm	ASTM E11
60.132.004750	4.75 mm	4 Mesh	200 mm	50 mm	ASTM E11
60.132.005600	5.60 mm	3.5 Mesh	200 mm	50 mm	ASTM E11
60.132.006300	6.30 mm	1/4"	200 mm	50 mm	ASTM E11
60.132.006700	6.70 mm	0.265"	200 mm	50 mm	ASTM E11
60.132.008000	8.00 mm	5/16"	200 mm	50 mm	ASTM E11
60.132.009500	9.50 mm	3/8"	200 mm	50 mm	ASTM E11
60.132.011200	11.20 mm	7/16"	200 mm	50 mm	ASTM E11
60.132.012500	12.50 mm	1/2"	200 mm	50 mm	ASTM E11
60.132.013200	13.20 mm	0.530"	200 mm	50 mm	ASTM E11
60.132.016000	16.00 mm	5/8"	200 mm	50 mm	ASTM E11
60.132.019000	19.00 mm	3/4"	200 mm	50 mm	ASTM E11
60.132.022400	22.40 mm	7/8"	200 mm	50 mm	ASTM E11
60.132.025000	25.00 mm	1"	200 mm	50 mm	ASTM E11
60.132.026500	26.50 mm	1.06"	200 mm	50 mm	ASTM E11

60.132.031500	31.50 mm	11/4"	200 mm	50 mm	ASTM E11
60.132.037500	37.50 mm	11/2"	200 mm	50 mm	ASTM E11
60.132.045000	45.00 mm	13/4"	200 mm	50 mm	ASTM E11
60.132.050000	50.00 mm	2"	200 mm	50 mm	ASTM E11
60.132.053000	53.00 mm	2.12"	200 mm	50 mm	ASTM E11
60.132.063000	63.00 mm	21/2"	200 mm	50 mm	ASTM E11
60.132.075000	75.00 mm	3"	200 mm	50 mm	ASTM E11
60.132.090000	90.00 mm	31/2"	200 mm	50 mm	ASTM E11
60.132.100000	100.00 mm	4"	200 mm	50 mm	ASTM E11
60.132.106000	106.00 mm	4.24"	200 mm	50 mm	ASTM E11
60.132.125000	125.00 mm	5"	200 mm	50 mm	ASTM E11

TEST SIEVES Ø 200 MM - 25 MM HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	ø	height	standard
60.123.000020	20 µm	635 Mesh	200 mm	25 mm	ASTM E11
60.123.000025	25 µm	500 Mesh	200 mm	25 mm	ASTM E11
60.123.000032	32 µm	450 Mesh	200 mm	25 mm	ASTM E11
60.123.000038	38 µm	400 Mesh	200 mm	25 mm	ASTM E11
60.123.000045	45 µm	325 Mesh	200 mm	25 mm	ASTM E11
60.123.000053	53 µm	270 Mesh	200 mm	25 mm	ASTM E11
60.123.000063	63 µm	230 Mesh	200 mm	25 mm	ASTM E11
60.123.000075	75 µm	200 Mesh	200 mm	25 mm	ASTM E11
60.123.000090	90 µm	170 Mesh	200 mm	25 mm	ASTM E11
60.123.000106	106 µm	140 Mesh	200 mm	25 mm	ASTM E11
60.123.000125	125 µm	120 Mesh	200 mm	25 mm	ASTM E11
60.123.000150	150 µm	100 Mesh	200 mm	25 mm	ASTM E11
60.123.000180	180 µm	80 Mesh	200 mm	25 mm	ASTM E11
60.123.000212	212 µm	70 Mesh	200 mm	25 mm	ASTM E11
60.123.000250	250 µm	60 Mesh	200 mm	25 mm	ASTM E11
60.123.000300	300 µm	50 Mesh	200 mm	25 mm	ASTM E11

60.123.000355	355 µm	45 Mesh	200 mm	25 mm	ASTM E11
60.123.000425	425 µm	40 Mesh	200 mm	25 mm	ASTM E11
60.123.000500	500 µm	35 Mesh	200 mm	25 mm	ASTM E11
60.123.000600	600 µm	30 Mesh	200 mm	25 mm	ASTM E11
60.123.000710	710 µm	25 Mesh	200 mm	25 mm	ASTM E11
60.123.000850	850 µm	20 Mesh	200 mm	25 mm	ASTM E11
60.123.001000	1.00 mm	18 Mesh	200 mm	25 mm	ASTM E11
60.123.001180	1.18 mm	16 Mesh	200 mm	25 mm	ASTM E11
60.123.001400	1.40 mm	14 Mesh	200 mm	25 mm	ASTM E11
60.123.001700	1.70 mm	12 Mesh	200 mm	25 mm	ASTM E11
60.123.002000	2.00 mm	10 Mesh	200 mm	25 mm	ASTM E11
60.123.002360	2.36 mm	8 Mesh	200 mm	25 mm	ASTM E11
60.123.002800	2.80 mm	7 Mesh	200 mm	25 mm	ASTM E11
60.123.003350	3.35 mm	6 Mesh	200 mm	25 mm	ASTM E11
60.123.004000	4.00 mm	5 Mesh	200 mm	25 mm	ASTM E11
60.123.004750	4.75 mm	4 Mesh	200 mm	25 mm	ASTM E11
60.123.005600	5.60 mm	3.5 Mesh	200 mm	25 mm	ASTM E11
60.123.006300	6.30 mm	1/4"	200 mm	25 mm	ASTM E11
60.123.006700	6.70 mm	0.265"	200 mm	25 mm	ASTM E11
60.123.008000	8.00 mm	5/16"	200 mm	25 mm	ASTM E11
60.123.009500	9.50 mm	3/8"	200 mm	25 mm	ASTM E11
60.123.011200	11.20 mm	7/16"	200 mm	25 mm	ASTM E11
60.123.012500	12.50 mm	1/2"	200 mm	25 mm	ASTM E11
60.123.013200	13.20 mm	0.530"	200 mm	25 mm	ASTM E11
60.123.016000	16.00 mm	5/8"	200 mm	25 mm	ASTM E11
60.123.019000	19.00 mm	3/4"	200 mm	25 mm	ASTM E11
60.123.022400	22.40 mm	7/8"	200 mm	25 mm	ASTM E11
60.123.025000	25.00 mm	1"	200 mm	25 mm	ASTM E11
60.123.026500	26.50 mm	1.06"	200 mm	25 mm	ASTM E11
60.123.031500	31.50 mm	1 1/4"	200 mm	25 mm	ASTM E11
60.123.037500	37.50 mm	1 1/2"	200 mm	25 mm	ASTM E11

60.123.045000	45.00 mm	13/4"	200 mm	25 mm	ASTM E11
60.123.050000	50.00 mm	2"	200 mm	25 mm	ASTM E11
60.123.053000	53.00 mm	2.12"	200 mm	25 mm	ASTM E11
60.123.063000	63.00 mm	2 1/2"	200 mm	25 mm	ASTM E11
60.123.075000	75.00 mm	3"	200 mm	25 mm	ASTM E11
60.123.090000	90.00 mm	3 1/2"	200 mm	25 mm	ASTM E11
60.123.100000	100.00 mm	4"	200 mm	25 mm	ASTM E11
60.123.106000	106.00 mm	4.24"	200 mm	25 mm	ASTM E11
60.123.125000	125.00 mm	5"	200 mm	25 mm	ASTM E11

TEST SIEVES Ø 8" - 2" HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	ø	height	standard
60.150.000020	20 µm	635 Mesh	8"	2"	ASTM E11
60.150.000025	25 µm	500 Mesh	8"	2"	ASTM E11
60.150.000032	32 µm	450 Mesh	8"	2"	ASTM E11
60.150.000038	38 µm	400 Mesh	8"	2"	ASTM E11
60.150.000045	45 µm	325 Mesh	8"	2"	ASTM E11
60.150.000053	53 µm	270 Mesh	8"	2"	ASTM E11
60.150.000063	63 µm	230 Mesh	8"	2"	ASTM E11
60.150.000075	75 µm	200 Mesh	8"	2"	ASTM E11
60.150.000090	90 µm	170 Mesh	8"	2"	ASTM E11
60.150.000106	106 µm	140 Mesh	8"	2"	ASTM E11
60.150.000125	125 µm	120 Mesh	8"	2"	ASTM E11
60.150.000150	150 µm	100 Mesh	8"	2"	ASTM E11
60.150.000180	180 µm	80 Mesh	8"	2"	ASTM E11
60.150.000212	212 µm	70 Mesh	8"	2"	ASTM E11
60.150.000250	250 µm	60 Mesh	8"	2"	ASTM E11
60.150.000300	300 µm	50 Mesh	8"	2"	ASTM E11
60.150.000355	355 µm	45 Mesh	8"	2"	ASTM E11
60.150.000425	425 µm	40 Mesh	8"	2"	ASTM E11

60.150.000500	500 µm	35 Mesh	8"	2"	ASTM E11
60.150.000600	600 µm	30 Mesh	8"	2"	ASTM E11
60.150.000710	710 µm	25 Mesh	8"	2"	ASTM E11
60.150.000850	850 µm	20 Mesh	8"	2"	ASTM E11
60.150.001000	1.00 mm	18 Mesh	8"	2"	ASTM E11
60.150.001180	1.18 mm	16 Mesh	8"	2"	ASTM E11
60.150.001400	1.40 mm	14 Mesh	8"	2"	ASTM E11
60.150.001700	1.70 mm	12 Mesh	8"	2"	ASTM E11
60.150.002000	2.00 mm	10 Mesh	8"	2"	ASTM E11
60.150.002360	2.36 mm	8 Mesh	8"	2"	ASTM E11
60.150.002800	2.80 mm	7 Mesh	8"	2"	ASTM E11
60.150.003350	3.35 mm	6 Mesh	8"	2"	ASTM E11
60.150.004000	4.00 mm	5 Mesh	8"	2"	ASTM E11
60.150.004750	4.75 mm	4 Mesh	8"	2"	ASTM E11
60.150.005600	5.60 mm	3.5 Mesh	8"	2"	ASTM E11
60.150.006300	6.30 mm	1/4"	8"	2"	ASTM E11
60.150.006700	6.70 mm	0.265"	8"	2"	ASTM E11
60.150.008000	8.00 mm	5/16"	8"	2"	ASTM E11
60.150.009500	9.50 mm	3/8"	8"	2"	ASTM E11
60.150.011200	11.20 mm	7/16"	8"	2"	ASTM E11
60.150.012500	12.50 mm	1/2"	8"	2"	ASTM E11
60.150.013200	13.20 mm	0.530"	8"	2"	ASTM E11
60.150.016000	16.00 mm	5/8"	8"	2"	ASTM E11
60.150.019000	19.00 mm	3/4"	8"	2"	ASTM E11
60.150.022400	22.40 mm	7/8"	8"	2"	ASTM E11
60.150.025000	25.00 mm	1"	8"	2"	ASTM E11
60.150.026500	26.50 mm	1.06"	8"	2"	ASTM E11
60.150.031500	31.50 mm	1 1/4"	8"	2"	ASTM E11
60.150.037500	37.50 mm	1 1/2"	8"	2"	ASTM E11
60.150.045000	45.00 mm	1 3/4"	8"	2"	ASTM E11
60.150.050000	50.00 mm	2"	8"	2"	ASTM E11

60.150.053000	53.00 mm	2.12"	8"	2"	ASTM E11
60.150.063000	63.00 mm	2 1/2"	8"	2"	ASTM E11
60.150.075000	75.00 mm	3"	8"	2"	ASTM E11
60.150.090000	90.00 mm	3 1/2"	8"	2"	ASTM E11
60.150.100000	100.00 mm	4"	8"	2"	ASTM E11
60.150.106000	106.00 mm	4.24"	8"	2"	ASTM E11
60.150.125000	125.00 mm	5"	8"	2"	ASTM E11

TEST SIEVES Ø 8" - 1" HEIGHT - ASTM E11 - STAINLESS STEEL / WIRE GAUZE

	# mm	# mesh no.	Ø	height	standard
60.141.000020	20 µm	635 Mesh	8"	1"	ASTM E11
60.141.000025	25 µm	500 Mesh	8"	1"	ASTM E11
60.141.000032	32 µm	450 Mesh	8"	1"	ASTM E11
60.141.000038	38 µm	400 Mesh	8"	1"	ASTM E11
60.141.000045	45 µm	325 Mesh	8"	1"	ASTM E11
60.141.000053	53 µm	270 Mesh	8"	1"	ASTM E11
60.141.000063	63 µm	230 Mesh	8"	1"	ASTM E11
60.141.000075	75 µm	200 Mesh	8"	1"	ASTM E11
60.141.000090	90 µm	170 Mesh	8"	1"	ASTM E11
60.141.000106	106 µm	140 Mesh	8"	1"	ASTM E11
60.141.000125	125 µm	120 Mesh	8"	1"	ASTM E11
60.141.000150	150 µm	100 Mesh	8"	1"	ASTM E11
60.141.000180	180 µm	80 Mesh	8"	1"	ASTM E11
60.141.000212	212 µm	70 Mesh	8"	1"	ASTM E11
60.141.000250	250 µm	60 Mesh	8"	1"	ASTM E11
60.141.000300	300 µm	50 Mesh	8"	1"	ASTM E11
60.141.000355	355 µm	45 Mesh	8"	1"	ASTM E11
60.141.000425	425 µm	40 Mesh	8"	1"	ASTM E11
60.141.000500	500 µm	35 Mesh	8"	1"	ASTM E11
60.141.000600	600 µm	30 Mesh	8"	1"	ASTM E11

60.141.000710	710 µm	25 Mesh	8"	1"	ASTM E11
60.141.000850	850 µm	20 Mesh	8"	1"	ASTM E11
60.141.001000	1.00 mm	18 Mesh	8"	1"	ASTM E11
60.141.001180	1.18 mm	16 Mesh	8"	1"	ASTM E11
60.141.001400	1.40 mm	14 Mesh	8"	1"	ASTM E11
60.141.001700	1.70 mm	12 Mesh	8"	1"	ASTM E11
60.141.002000	2.00 mm	10 Mesh	8"	1"	ASTM E11
60.141.002360	2.36 mm	8 Mesh	8"	1"	ASTM E11
60.141.002800	2.80 mm	7 Mesh	8"	1"	ASTM E11
60.141.003350	3.35 mm	6 Mesh	8"	1"	ASTM E11
60.141.004000	4.00 mm	5 Mesh	8"	1"	ASTM E11
60.141.004750	4.75 mm	4 Mesh	8"	1"	ASTM E11
60.141.005600	5.60 mm	3.5 Mesh	8"	1"	ASTM E11
60.141.006300	6.30 mm	1/4"	8"	1"	ASTM E11
60.141.006700	6.70 mm	0.265"	8"	1"	ASTM E11
60.141.008000	8.00 mm	5/16"	8"	1"	ASTM E11
60.141.009500	9.50 mm	3/8"	8"	1"	ASTM E11
60.141.011200	11.20 mm	7/16"	8"	1"	ASTM E11
60.141.012500	12.50 mm	1/2"	8"	1"	ASTM E11
60.141.013200	13.20 mm	0.530"	8"	1"	ASTM E11
60.141.016000	16.00 mm	5/8"	8"	1"	ASTM E11
60.141.019000	19.00 mm	3/4"	8"	1"	ASTM E11
60.141.022400	22.40 mm	7/8"	8"	1"	ASTM E11
60.141.025000	25.00 mm	1"	8"	1"	ASTM E11
60.141.026500	26.50 mm	1.06"	8"	1"	ASTM E11
60.141.031500	31.50 mm	1 1/4"	8"	1"	ASTM E11
60.141.037500	37.50 mm	1 1/2"	8"	1"	ASTM E11
60.141.045000	45.00 mm	1 3/4"	8"	1"	ASTM E11
60.141.050000	50.00 mm	2"	8"	1"	ASTM E11
60.141.053000	53.00 mm	2.12"	8"	1"	ASTM E11
60.141.063000	63.00 mm	2 1/2"	8"	1"	ASTM E11

60.141.075000	75.00 mm	3"	8"	1"	ASTM E11
60.141.090000	90.00 mm	3 1/2"	8"	1"	ASTM E11
60.141.100000	100.00 mm	4"	8"	1"	ASTM E11
60.141.106000	106.00 mm	4.24"	8"	1"	ASTM E11
60.141.125000	125.00 mm	5"	8"	1"	ASTM E11